


# Enpirion Tape and Reel Specification

## Tape and Reel Dimensions / Pin 1 Quadrant Locations


Product	Body Size (mm)			Qty/reel	Unit Wt (g)	Sealed Bag Wt (g)	Reel Dimensions (mm)			Pin 1 Quadrant
	X	Y	Z				Dia (A)	Width (W)	Hub Dia (N)	
EC2630QI	5.5	5.5	0.9	1000	0.090	440	180	12.0	60	2
EN5311QI	5	4	1.1	1000	0.078	265	180	12.0	60	1
EN5312QI	5	4	1.1	1000	0.078	265	180	12.0	60	1
EN5322QI	6	4	1.1	500	0.093	220	180	12.0	60	2
EN5335QI	10	7.5	1.85	500	0.370	415	180	24.0	60	2
EN5336QI	10	7.5	1.85	500	0.370	415	180	24.0	60	2
EN5337QI	7	4	1.85	500	0.160	270	180	16.0	60	2
EN5364QI	11	8	1.85	500	0.530	500	180	24.0	60	2
EN5365QI	12	10	1.85	250	0.600	385	180	24.0	60	2
EN5366QI	12	10	1.85	250	0.600	385	180	24.0	60	2
EN5394QI	11	8	1.85	500	0.530	500	180	24.0	60	2
EN5395QI	12	10	1.85	250	0.650	385	180	24.0	60	2
EN5396QI	12	10	1.85	250	0.650	385	180	24.0	60	2
EN6337QI	7	4	1.85	500	0.160	270	180	16.0	60	2
EN6347QI	7	4	1.85	500	0.160	270	180	16.0	60	2
EN6360QI	11	8	3.0	250	0.810	415	180	24.0	60	2
EN63A0QI	11	10	3.0	250	1.040	480	180	24.0	60	2
EP5348UI	2	1.75	0.9	1000	0.010	150	180	12.0	60	2
EP5352QI	5	4	1.1	1000	0.078	265	180	12.0	60	1
EP5357HUI	2.5	2.25	1.1	1000	0.020	150	180	12.0	60	2
EP5357LUI	2.5	2.25	1.1	1000	0.020	150	180	12.0	60	2
EP5358HUI	2.5	2.25	1.1	1000	0.020	150	180	12.0	60	2
EP5358LUI	2.5	2.25	1.1	1000	0.020	150	180	12.0	60	2
EP5362QI	5	4	1.1	1000	0.078	265	180	12.0	60	1
EP5368QI	3	3	1.1	1000	0.033	150	180	12.0	60	2
EP5382QI	5	4	1.1	1000	0.078	265	180	12.0	60	1
EP5388QI	3	3	1.1	1000	0.033	150	180	12.0	60	2
EP53A7HQI	3	3	1.1	1000	0.033	150	180	12.0	60	2
EP53A7LQI	3	3	1.1	1000	0.033	150	180	12.0	60	2
EP53A8HQI	3	3	1.1	1000	0.033	150	180	12.0	60	2
EP53A8LQI	3	3	1.1	1000	0.033	150	180	12.0	60	2
EP53F8QI	3	3	1.1	1000	0.033	150	180	12.0	60	2
EV1340QI	10	5.5	3.0	250	0.500	340	180	24.0	60	2
EV1380QI	11	8	3.0	250	0.810	415	180	24.0	60	2

All dimensions are typical

## Pin 1 Quadrant Locations



Tape Specifications




		Tape Dimensions									
Package Dimensions	X / Y	Z	A0	B0	K0	F	P0	P1	D0	W	T
	2 X 1.75	0.9	2.20	2.00	1.14	5.50	4.00	4.00	1.55	12.00	0.30
	2.5 x 2.25	1.1	2.55	2.80	1.40	5.50	4.00	4.00	1.55	12.00	0.30
	3 X 3	1.1	3.30	3.30	1.30	5.50	4.00	8.00	1.55	12.00	0.30
	4 X 4	0.75	4.30	4.30	0.95	5.50	4.00	8.00	1.55	12.00	0.30
	5 X 4	1.1	4.30	5.30	1.30	5.50	4.00	8.00	1.55	12.00	0.30
	5.5 X 5.5	0.9	5.80	5.80	1.14	5.50	4.00	8.00	1.55	12.00	0.30
	6 X 4	1.1	4.30	6.30	1.30	5.50	4.00	8.00	1.55	12.00	0.30
	7 X 4	1.85	4.25	7.25	2.10	7.50	4.00	8.00	1.55	16.00	0.30
	10 X 5.5	3.0	5.80	10.30	3.25	11.50	4.00	12.00	1.55	24.00	0.30
	10 X 7.5	1.85	7.90	10.40	2.20	11.50	4.00	12.00	1.55	24.00	0.30
	11 X 8	1.85	8.25	11.25	2.10	11.50	4.00	12.00	1.55	24.00	0.30
	11 X 8	3.0	8.30	11.30	3.25	11.50	4.00	12.00	1.55	24.00	0.30
11 X 10	3.0	10.30	11.30	3.25	11.50	4.00	16.00	1.55	24.00	0.30	
12 X 10	1.85	10.40	12.40	2.20	11.50	4.00	16.00	1.55	24.00	0.30	
Tolerance			± 0.10	± 0.10	± 0.10	± 0.10	± 0.10	± 0.10	± 0.05	± 0.30	± 0.05

Notes:

1. Material is conductive polystyrene
2. All dimensions are in millimeters
3. All specifications comply with EIA 481C
4. The cavity shall surround the component with sufficient clearance that the component does not protrude beyond either surface of the carrier tape, the component can be removed from the cavity in a vertical direction without mechanical restriction, after the top cover tape has been removed, rotation of the component is limited to 20° maximum, lateral movement of the component is restricted to 0.5 mm maximum.

## Reel Dimensions



## Contact Information

Perryville III  
53 Frontage Road, Suite 210  
Hampton, NJ 08827  
Phone: 908-894-6000  
Fax: 908-894-6090

*Enpirion reserves the right to make changes in circuit design and/or specifications at any time without notice. Information furnished by Enpirion is believed to be accurate and reliable. Enpirion assumes no responsibility for its use or for infringement of patents or other third party rights, which may result from its use. Enpirion products are not authorized for use in nuclear control systems, as critical components in life support systems or equipment used in hazardous environment without the express written authority from Enpirion.*